
Contents

	<i>Note to the reader</i>	<i>page</i> vii
	<i>Introduction</i>	1
1	Categories, functors and natural transformations	9
	1.1 Categories	10
	1.2 Functors	17
	1.3 Natural transformations	27
2	Adjoins	41
	2.1 Definition and examples	41
	2.2 Adjunctions via units and counits	50
	2.3 Adjunctions via initial objects	58
3	Interlude on sets	65
	3.1 Constructions with sets	66
	3.2 Small and large categories	73
	3.3 Historical remarks	78
4	Representables	83
	4.1 Definitions and examples	84
	4.2 The Yoneda lemma	93
	4.3 Consequences of the Yoneda lemma	99
5	Limits	107
	5.1 Limits: definition and examples	107
	5.2 Colimits: definition and examples	126
	5.3 Interactions between functors and limits	136
6	Adjoins, representables and limits	141
	6.1 Limits in terms of representables and adjoints	141
	6.2 Limits and colimits of presheaves	145
	6.3 Interactions between adjoint functors and limits	157
<i>Appendix</i>	Proof of the general adjoint functor theorem	171
	<i>Further reading</i>	174
	<i>Index of notation</i>	177
	<i>Index</i>	178

Note to the reader

This is not a sophisticated text. In writing it, I have assumed no more mathematical knowledge than might be acquired from an undergraduate degree at an ordinary British university, and I have not assumed that you are used to learning mathematics by reading a book rather than attending lectures. Furthermore, the list of topics covered is deliberately short, omitting all but the most fundamental parts of category theory. A ‘further reading’ section points to suitable follow-on texts.

There are two things that every reader should know about this book. One concerns the examples, and the other is about the exercises.

Each new concept is illustrated with a generous supply of examples, but it is not necessary to understand them all. In courses I have taught based on earlier versions of this text, probably no student has had the background to understand every example. All that matters is to understand enough examples that you can connect the new concepts with mathematics that you already know.

As for the exercises, I join every other textbook author in exhorting you to do them; but there is a further important point. In subjects such as number theory and combinatorics, some questions are simple to state but extremely hard to answer. Basic category theory is not like that. To understand the question is very nearly to know the answer. In most of the exercises, there is only one possible way to proceed. So, if you are stuck on an exercise, a likely remedy is to go back through each term in the question and make sure that you understand it *in full*. Take your time. Understanding, rather than problem solving, is the main challenge of learning category theory.

Citations such as Mac Lane (1971) refer to the sources listed in ‘Further reading’.

This book developed out of master’s-level courses taught several times at the University of Glasgow and, before that, at the University of Cambridge. In turn, the Cambridge version was based on Part III courses taught for many

years by Martin Hyland and Peter Johnstone. Although this text is significantly different from any of their courses, I am conscious that certain exercises, lines of development and even turns of phrase have persisted through that long evolution. I would like to record my indebtedness to them, as well as my thanks to François Petit, my past students, the anonymous reviewers, and the staff of Cambridge University Press.

Index

- abelianization, 45
- adjoint functor theorems, 159–164
 - general, 162, 171–173
 - special, 163
- adjunction, 41
 - composition of adjunctions, 49
 - vs. equivalence, 55
 - fixed points of, 57
 - free–forgetful, 43–46
 - via initial objects, 60–63, 100, 101
 - limits preserved in, 158
 - naturality axiom for, 42, 50–51, 91, 101
 - nonexistence of adjoints, 159
 - uniqueness of adjoints, 43, 106
- aerial photography, 87
- algebra, 92
 - for algebraic theory, 46
 - associative, 42–43
- algebraic geometry, 21, 36, 92
- algebraic theory, 46
- algebraic topology, 20
- applied mathematics, 9
- arithmetic, 69, 112, 158, 165
 - cardinal, 163, 168
- arity, 46
- arrow, 10, *see also* map
- associative algebra, 42–43
- associativity, 10, 151
- axiom of choice, 71, 135
- bicycle inner tube, 133
- bilinear, *see* map, bilinear
- black king, 72
- Boolean algebra, 36
- C^* -algebra, 36
- canonical, 33, 39
- Cantor, Georg, 78
 - Cantor’s theorem, 74
 - Cantor–Bernstein theorem, 74
- cardinality, 74, 163, 168
- cartesian closed category, 164–167
- category, 10
 - cartesian closed, 164–167
 - category of categories, 18, 77
 - adjunctions with **Set**, 78, 167
 - comma, *see* comma category
 - complete, 159
 - coslice, 60
 - discrete, 13, 78, 87
 - functor out of, 29, 31, 32
 - drawing of, 13
 - of elements, 154, 156
 - equivalence of categories, 34
 - vs. adjunction, 55
 - essentially small, 76
 - finite, 121
 - isomorphism of categories, 26
 - large, 75
 - locally small, 75, 84
 - monoidal closed, 165
 - one-object, 14–15, *see also* monoid and group
 - opposite, 16
 - product of categories, 16, 26, 39
 - slice, *see* slice category
 - slimmed-down, 35
 - small, 75, 118
 - 2-category of categories, 38
 - well-powered, 168
- centre, 26
- characteristic function, 69
- chess, 72

- class, 11, 75
- closure, 55
- cocone, 126, *see also* cone
- codomain, 11
- coequalizer, 128, *see also* equalizer
- cohomology, 24
- colimit, 126, *see also* limit
 - and integration, 151
 - map out of, 147
- collection, 11
- comma category, 59
 - limits in, 172
- commutes, 11
- complete, 159
- component
 - of map into product, 111
 - of natural transformation, 28
- composition, 10
 - horizontal, 37
 - vertical, 37
- computer science, 9, 79, 80
- cone, 118
 - limit, 119
 - as natural transformation, 142
 - set of cones as limit, 146
- connectedness, 156
- contravariant, 22, 90
- coproduct, 127, *see also* sum
- coprojection, 126
- coreflective, 46
- coslice category, 60
- counit, *see* unit and counit
- covariant, 22
- creation of limits, 138–139, 172
- density, 154, 156
- determinant, 29
- diagonal, *see* functor, diagonal
- diagram, 118
 - commutative, 11
 - string, 55
- direct limit, 131
- discrete, *see* category, discrete *and* topological
 - space, discrete
- disjoint union, 68, *see also* set, category of,
 - sums in
- domain, 11
- duality, 16, 35, 132
 - algebra–geometry, 23, 35
 - Gelfand–Naimark, 36
 - Pontryagin, 36
 - principle of, 16, 49
- Stone, 36
 - terminology for, 126
 - for vector spaces, 24, 32
- duck, 104
- Eilenberg, Samuel, 9
- element
 - category of elements, 154, 156
 - as function, 67
 - generalized, 92, 105, 117, 123, 156
 - least, *see* least element
 - of presheaf, 99
 - universal, 100
- embedding, 102
- empty family, 111, 127
- epic, 133, *see also* monic
 - regular, 135
 - split, 135
- epimorphism, 133, *see also* epic
- equalizer, 112, 132
 - map into, 146
 - vs. pullback, 124
 - of sets, 70, 113
- equivalence of categories, 34
 - vs. adjunction, 55
- equivalence relation, 70, 135
 - generated by relation, 128
- equivariant, 29
- essentially small, 76
- essentially surjective on objects, 34
- evaluation, 32, 95, 148
- explicit description, 44, 163
- exponential, 164, *see also* set of functions
 - preserved by Yoneda embedding, 168
- faithful, 25, 27
- family, 68
 - empty, 111, 127
- fibred product, 115, *see also* pullback
- field, 46, 83, 159
- figure, *see* element, generalized
- fixed point, 57, 77
- forgetful, *see* functor, forgetful
- fork, 112
- foundations, 71–73, 80
- Fourier analysis, 36, 78
- free functor, 19
- Fubini's theorem, 151
- full, *see* functor, full *and* subcategory, full
- function
 - characteristic, 69
 - injective, 123
 - intuitive description of, 66

- number of functions, 67
- partial, 64
- set of functions, 47, 69, 164
- surjective, 133
- functor, 17
 - category, 30, 38, 164
 - limits in, 148–153
 - composition of functors, 18
 - contravariant, 22, 90
 - covariant, 22
 - diagonal, 50, 73, 142
 - essentially surjective on objects, 34
 - faithful, 25, 27
 - forgetful, 18
 - left adjoint to, 43, 87, 163
 - preserves limits, 158
 - is representable, 85, 87
 - free, 19
 - full, 25
 - full and faithful, 34, 103
 - identity, 18
 - limit of, 171, 173
 - image of, 25
 - product of functors, 148
 - representable, 84, 89
 - and adjoints, 86, 167
 - colimit of representables, 153–156
 - isomorphism of representables, 104–105
 - limit of representables, 152–153
 - preserves limits, 145–147
 - sum of representables, 156
 - ‘seeing’, 83, 85
 - set-valued, 84
- G -set, 22, 50, 157, *see also* monoid, action of
- general adjoint functor theorem (GAFT), 162, 171–173
- generalized element, *see* element, generalized
- generated equivalence relation, 128
- greatest common divisor, 110
- greatest lower bound, 111
- group, 6, 101, 103, *see also* monoid
 - abelian
 - coequalizer of, 130
 - finite limit of, 123
 - abelianization of, 45
 - action of, 50, 157, *see also* monoid, action of
 - category of groups, 11
 - colimits in, 137
 - epics in, 134
 - equalizers in, 114
 - is not essentially small, 77
 - isomorphisms in, 12
 - limits in, 121, 137–140
 - is locally small, 76
 - monics in, 123
 - free, 19, 44, 63, 163, 168
 - free on monoid, 45
 - fundamental, 7, 21, 85, 131
 - isomorphism of elements of, 39
 - non-homomorphisms of groups, 36
 - normal subgroup of, 135
 - as one-object category, 14
 - opposite, 26
 - order of element of, 85, 105
 - representation of, *see* representation
 - topological, 36
- holomorphic function, 153
- hom-set, 75, 90
- homology, 21
- homotopy, 17, 85, *see also* group, fundamental
- identity, 10
 - as zero-fold composite, 11
- image
 - of functor, 25
 - of homomorphism, 130
 - inverse, *see* inverse image
- inclusion, 6
- indiscrete space, 7, 47
- infimum, 111
- ∞ -category, 38
- initial, *see* object, initial *and* set, weakly initial
- injection, 123
- injective object, 140
- integers, *see* \mathbb{Z}
- interchange law, 38
- intersection, 110, 120
 - as pullback, 116, 130
- inverse, 12
 - image, 57, 89
 - as pullback, 115
 - limit, 120
 - right, 71
- isomorphism, 12
 - of categories, 26
 - and full and faithful functors, 103
 - natural, 31
 - preserved by functors, 26
- join, 128
- Kan extension, 157
- kernel, 6, 8, 114

- Kronecker, Leopold, 78
- large, 75
- least element, 128, 171, 173
 - as meet, 161
- least upper bound, 128
- Lie algebra, 42–43
- limit, 118
 - as adjoint, 144
 - vs. colimit, 132, 147, 161
 - non-commutativity with colimits, 152
 - commutativity with limits, 150, 159
 - computed pointwise, 148
 - cone, 119
 - creation of, 138–139, 172
 - direct, 131
 - finite, 121
 - in functor category, 148–153
 - functoriality of, 139
 - has limits, 121
 - of identity, 171, 173
 - informal usage, 119
 - inverse, 120
 - large, 161–162, 171, 173
 - map between limits, 143
 - map into, 147
 - non-pointwise, 150
 - preservation of, 136
 - by adjoint, 158
 - from products and equalizers, 121
 - from pullbacks and terminal object, 125
 - reflection of, 136
 - as representation of cone functor, 142
 - small, 119, 161–162, 173
 - uniqueness of, 143, 145
- locally small, 75, 84
- loop, 92
- lower bound, 111
- lowest common multiple, 128
- Mac Lane, Saunders, 9
- manifold, 133
- map, 10
 - bilinear, 4, 86, 105, 165
 - need not resemble function, 13
 - order-preserving, 22, 26
- matrix, 40
- meet, 111
- metric space, 91
- minimum, 110
- model, 46
- monic, 123
 - composition of monics, 135
 - pullback of, 125, 135
 - regular, 135
 - split, 135
- monoid, 15
 - action of, 22, 24, 29, 31, 85, *see also* group,
 - action of
 - epics between monoids, 134
 - free group on, 45
 - homomorphism of monoids, 21
 - as one-object category, 15, 29, 35, 77
 - opposite, 26
 - Yoneda lemma for monoids, 99
- monoidal closed category, 165
- monomorphism, 123, *see also* monic morphism, 10, *see also* map
- n -category, 38
- natural isomorphism, *see* isomorphism, natural
- natural numbers, 15, 71, 158, *see also*
 - arithmetic
- natural transformation, 28
 - composition of, 30, 36–38
 - identity, 30
- naturally, 32
- object, 10
 - initial, 48, 127
 - as adjoint, 49
 - as limit of identity, 171, 173
 - uniqueness of, 48
 - injective, 140
 - need not resemble set, 13
 - probing of, 81
 - projective, 140
 - set of category, 78, 85
 - terminal, 48, 112, *see also* object, initial
- open subset, 89
- order-preserving, 22, 26
- ordered set, 15, 31
 - adjunction between, 54, 56, 160–162
 - complete small category is, 162, 168
 - vs. preordered set, 16, 167
 - product in, 110–111
 - sum in, 128
 - totally, 39
- partial function, 64
- partially ordered set, 15, *see also* ordered set
- permutation, 39
- pointwise, 23, 148, 165
- polynomial, 21, *see also* ring, polynomial
- poset, 15, *see also* ordered set
- power, 112

- series, 153
- set, 69, 89, 110, 128
- predicate, 57
- preimage, *see* inverse image
- preorder, 15, *see also* ordered set
- preservation, *see* limit, preservation of
- presheaf, 24, 50
 - category of presheaves
 - is cartesian closed, 166
 - limits in, 152
 - monics and epics in, 156
 - slice of, 157
 - is topos, 169
 - as colimit of representables, 153–156
 - element of, 99
- prime numbers, 153
- product, 108, 111
 - associativity of, 151
 - binary, 111
 - commutativity of, 151
 - empty, 111
 - functoriality of, 139
 - informal usage, 109
 - map into, 145, 153
 - as pullback, 115
 - uniqueness of, 109
- projection, 108, 118
- projective object, 140
- pullback, 114
 - vs. equalizer, 124
 - of monic, 125, 135
 - pasting of pullbacks, 124
 - square, 115
- pushout, 130, *see also* pullback
- quantifiers as adjoints, 57
- quotient, 132, 134
 - of set, 70, 129
- reflection (adjunction), 57
- reflection of limits, 136
- reflective, 46
- relation, 128, *see also* equivalence relation
- representable, *see* functor, representable
- representation
 - of functor, 84, 89
 - as universal element, 99–102
 - of group or monoid
 - linear, 22, 50, 157
 - regular, 85, 99
- ring, 2
 - category of rings, 11
 - epics in, 134
 - is not essentially small, 77
 - isomorphisms in, 12
 - limits in, 121, 137–140
 - is locally small, 76
 - monics in, 123
- free, 87
- of functions, 22, 89
- polynomial, 8, 19, 87
- SAFT (special adjoint functor theorem), 163
- sameness, 33–34
- scheme, 21
- section, 71
- sequence, 71, 92
- set
 - axiomatization of sets, 79–82
 - category of sets, 11, 67
 - coequalizers in, 129
 - colimits in, 131
 - epics in, 133
 - equalizers in, 70, 113
 - is not essentially small, 76
 - isomorphisms in, 12
 - limits in, 120
 - is locally small, 75
 - monics in, 123
 - products in, 47, 68, 107, 109
 - pushouts in, 130
 - sums in, 68, 127
 - as topos, 82, 167
 - conflicting meaning in ZFC, 80
 - definition of, 71–73
 - empty, 67, 72
 - finite, 35, 76
 - of functions, 47, 69, 164
 - history, 78–82
 - intuitive description of, 66
 - one-element, 1, 67, 112
 - open, 89
 - quotient of, 70, 129
 - size of, 74–75
 - structurelessness of, 66
 - two-element, 69, 89, 167
 - valued functor, 84
 - weakly initial, 162, 171–173
- shape
 - of diagram, 118
 - of generalized element, 92
- sheaf, 24, 167
- Sierpiński space, 93
- simultaneous equations, 21, 113, 122
- slice category, 59

- of presheaf category, 157
- small, 75, 118, 119
- special adjoint functor theorem, 163
- sphere, 132–133
- Stone–Čech compactification, 164
- string diagram, 55
- subcategory
 - full, 25, 103
 - reflective, 46
- subobject, 125
 - classifier, 167, 168
- subset, 69, 125
- sum, 127, *see also* product
 - empty, 127
 - map out of, 147
 - as pushout, 131
- supremum, 128
- surface, 132–133
- surjection, 133
- tensor product, 5–6, 86, 105, 165
- terminal, *see* object, terminal
- thought experiment, 120, 165, 169
- topological group, 36
- topological space, 6, 55, *see also* homotopy
 - and group, fundamental
 - category of topological spaces, 12
 - colimits in, 137
 - epics in, 134
 - equalizers in, 113
 - is not essentially small, 77
 - isomorphisms in, 12
 - limits in, 121, 137
 - is locally small, 76
 - products in, 109
 - compact Hausdorff, 122, 164
 - discrete, 4, 47, 87
 - functions on, 22, 24, 89
 - Hausdorff, 134
 - indiscrete, 7, 47
 - open subset of, 89
 - subspace of, 113
 - as topos, 167
 - two-point, 89
- topos, 82, 167–169
- total order, 39
- transpose, 42
- triangle identities, 52, 56
- 2-category, 38
- type, 79–81
- underlying, 18
- union, 68, 128
 - as pushout, 130
- uniqueness, 1, 3, 31, 105
 - of constructions, 10, 17, 28, 42, 94
- unit and counit, 51
 - adjunction in terms of, 52, 53
 - injectivity of unit, 63
 - unit as initial object, 60–63, 100
- universal
 - element, 100
 - enveloping algebra, 43
 - property, 1–7
 - determines object uniquely, 2, 5
- upper bound, 128
- van Kampen’s theorem, 7, 131
- variety, 36
- vector space, 3, 4, 40, *see also* bilinear map
 - category of vector spaces, 12
 - is not cartesian closed, 165
 - colimits in, 137
 - epics in, 134
 - equalizers in, 114
 - is not essentially small, 76
 - limits in, 121, 123, 137–140
 - is locally small, 76
 - monics in, 123
 - products in, 110
 - sums in, 127
 - direct sum of vector spaces, 110, 128
 - dual, 24, 32
 - free, 20, 43, 87
 - unit of, 51, 58, 100
 - functions on, 24
 - of linear maps, 23
- vertex, 118, 126
- weakly initial, 162, 171–173
- well-powered, 168
- word, 19
- Yoneda embedding, 90, 102–103
 - does not preserve colimits, 153
 - preserves exponentials, 168
 - preserves limits, 152
- Yoneda lemma, 94
 - for monoids, 99
- \mathbb{Z} (integers)
 - as group, 39, 83, 101, 103
 - as ring, 2, 48
- ZFC (Zermelo–Fraenkel with choice), 79–82